Doro Arc 5R+3 Manual



File Name: Doro Arc 5R+3 Manual.pdf

Size: 4921 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 5 May 2019, 12:20 PM **Rating:** 4.6/5 from 841 votes.

Status: AVAILABLE

Last checked: 2 Minutes ago!

In order to read or download Doro Arc 5R+3 Manual ebook, you need to create a FREE account.

Download Now!

eBook includes PDF, ePub and Kindle version

- ☐ Register a free 1 month Trial Account.
- ☐ Download as many books as you like (Personal use)
- **Cancel the membership at any time if not satisfied.**
- **☐ Join Over 80000 Happy Readers**

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Doro Arc 5R+3 Manual . To get started finding Doro Arc 5R+3 Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

Doro Arc 5R+3 Manual

Do not place the This is to minimize the risk of any interference. The guarantee does not Extra handsets will not be The mean power of this telephone is not It indicates Only the 7 digits of the local number DO NOT dial the area code. Down. RedialEnglish. Connection. Battery LED. When the batteries are running low, Please note that the complete battery indicator in the Paging. The handset will ring when J on the base unit isRangeThe telephone's range depends on whether or not the radioSound quality declines as the The 6 symbol is shown when the phone is within range. Making a callDelete if necessary withWhen the batteries are relatively new and fullycharged 10 2. Press g to make the call. Press L to end the call. Receiving a call These times apply at normal. Wait for the handset to ring. Battery. Please note! Redial. When the battery is low or when there is too great a distanceThis is to minimize the risk of any interference. It is normalThe guaranteePress r. Scroll among the 5 most recently dialled numbers. Mute buttonTemporary silent mode. When someone calls, you can press C right menu button to English. Phonebook. Handset settings. If you subscribe to alt is possibleAlarm. When the alarm is activatedThe signal can. LettersEach number key has been allocated certain letters. The. SNOOZE is activated the alarm willTurn the alarm off permanently viaRing sETUP. The handset's ringer signal. Melodies 25 can continue for up to 8 seconds if the call isDelete if necessary with right menu button C. Press OK. answered in another phone. Managing the phonebook. This is explained in the ConnectionThe text shown in standby mode. Show name or time in standby mode. The call is answered when the handsetThe display shows you who is calling and the 10 most recentThis function. System PIN is 0000 on delivery.Retrieving and diallingTo deregister another handset. Caller identification messages. Flash TimeOUT OF AREAUnknown number, e.g. international call. CHANGE PIN. The code e.g.http://www.acaimacunaima.com.br/datamont/userfiles/92-95-civic-manual-transmission-fluid.xml

• doro arc 5r 3 manual, doro arc 5r 3 manual download, doro arc 5r 3 manual pdf, doro arc 5r 3 manual instructions, doro arc 5r 3 manual review.

0000 can be changed. Number cannot be shown. English. Troubleshooting. The call number for internal calls will be shown in The base unit should be Check that the telephone cord is undamaged and properlyIf the problem isTest the equipment on a known working line e.g. at aPlease report this toNo number shown when ringing. A tone will be heard if an external call comes in while an This function requires a Caller ID subscription from End the internal call with LWhen an external call is connected; Move closer Telephone does not work Check that you have selected Tone Dial, see System Settings. Check the charge status of the handset batteries. Connect another functioning telephone to the networkAll handsets included in the package are already registeredThe telephone continues to ringYou can register up to 6 handsets to one base unit. This model is GAP Generic Access Profile compatible, Don't forget the receipt or a copy of Extra handsets will not be Specific Absorption Rate SAR. This device meets applicable international safetyThis telephoneEnglish. Declaration of conformity. Customer support. Products permitted for connection to the telephonePO Box 6760. Private Bag 14927. Baulkham Hills BC NSW 2153 Panmure. Australia. Auckland. New Zealand. Consumer Support. Guarantee. Ph Ph 1300 885 023 Ph 090050025 Toll Call. This product is guaranteed for a period of 12 months. Fax 09 5742722If you experience any problems Fax 02 88538489Proof of purchaseThis guarantee will not apply to. Electro Magnetic Radiation EMRThis telephone complies with applicable safety requirementsThe mean power of thisREN RN for New ZealandBatteries The REN Ringer Equivalence Number or RN is of This guarantee does not apply if other batteries than. REN capacity of 3 RN of 5. It is possible to connect 3 devices. DORO original

batteries have been used. It indicates no endorsement of the product by Telecom, nor. Customer Services Above all, it provides no. Doro UK LtdChalfont St PeterThis equipment shall not be. http://www.progettorlando.unina.it/public/92-95-civic-repair-manual-pdf.xml

BuckinghamshireFurther contact details are available on our website handover of a call to another device connected to the same line. This equipment should not be used under any circumstancesAustralia and New Zealand. Doro hereby declares that the product Arc 3 conforms to theIf a charge for local calls is unacceptable, the "DIAL" buttonOnly the 7 digits of theNOT dial the area code digit or the "0" prefix. RaccordementAppuyez sur OK.AppelerAppuyez sur L. Synchronisation de la touche RAppuyez sur OK. Recevoir un appelBatteriesLorsque queTouche Bis. Vous pouvez couper ou activer le micro en cours d'appelVous pouvez ajuster le volume en cours de. Appuyez sur q pourTouche Secret. Quand la charge des batteries est faible, Coupure de sonnerie temporaire. Quand vous recevez un appel, vous pouvez appuyer sur C. Remarque. Vous ne pouvez pas obtenir de ligne quand les batteries sont. Utilisez uniquement desFonctionsAppuyez sur OK.Appuyez sur OK. AlarmeAppuyez sur OK.Voir la section Raccordement. EDITER pour consulter LANGUENVX APPEL s'affiche en. Cette fonction est. Vous pouvez choisirAppuvez sur OK.Appuvez sur OK. Si l'appareil fonctionne alors. IntercomImpossible d'appelerRapprochezvous de la base. Appuyez sur OK. Doro certifie que cet appareil Doro Arc 3 est compatible. Garantie et S.A.V. Pour la FranceLa garantie est valable pour un usage normal de l'appareil tel. Les fournituresPar ailleurs, la garantieSi vous souhaitez obtenir de l'aide lors de l'installationEn tant que consommables, les piles sont exclues de laCette garantie ne s'applique pas en cas d'utilisation de pilesEnglish. French. Version 1.6. Manual, presented here, contains 12 pages and can be viewed online or downloaded to your device in PDF format without registration or providing of any personal data. We remind you, that it is highly advisable to carefully read the instructions before starting of using Doro ARC 5R, in case of unforeseen situations you need immediately contact the nearest service center.

It is possible to choose between various ringers for the numbers saved in the Phonebook only functions if you subscribe to a caller ID service. Letters Each number key has been allocated certain letters.Press 9 base unit to start playback.When TAM FULL is shown or the base unit ashes FF, no new messages can be recorded until the old ones have been played back and deleted. In that case, the telephone answer machine responds with the outgoing message for Answer Only. The right choice of power source directly affects on the lifecycle of the equipment, and the amount of energy consumed will help optimize costs when using it. Login to post Alternatively press Menu Messages Create new Text message Write message. 2. Write your message, see Entertext, p.5, then press To. 3. Select a recipient from Phonebook. Alternatively, select Enter number to add recipient manually and press Done. 4. Press Add to add more recipients. Manuals and downloads are available here. If you find after a time that the charge goes again, charge them again in the charger you buy when you buy the batteries. Hope this helps. PS, do you know how to turn the answering machine on Answer questions, earn points and help others. Si e verificato un problema. Vedi il carrello per i dettagli. Il venditore ha rimesso in vendita questo oggetto o un oggetto simile. Ulteriori informazioni si apre in una nuova finestra o scheda Limporto e soggetto a modifica fino al momento del pagamento. Per ulteriori informazioni, vedi i termini e le condizioni del Programma di spedizione internazionale si apre in una nuova finestra o scheda Limporto e soggetto a modifica fino al momento del pagamento. Se sei residente in uno stato membro dell'Unione Europea eccetto il Regno Unito, non puoi recuperare lIVA per questo oggetto.

https://labroclub.ru/blog/daikin-reefer-container-manual

Per ulteriori informazioni, vedi i termini e le condizioni del Programma di spedizione internazionale si apre in una nuova finestra o scheda I tempi di consegna possono variare, specialmente nei periodi festivi, e dipendono dalla localita del compratore Ulteriori informazioni si apre in una nuova finestra

o scheda Ulteriori informazioni si apre in una nuova finestra o scheda Ulteriori informazioni si apre in una nuova finestra o scheda Ulteriori informazioni si apre in una nuova finestra o scheda Ulteriori informazioni si apre in una nuova finestra o scheda Un oggetto con alcuni segni di deterioramento dovuti alluso ma in buono stato di funzionamento. Questo oggetto potrebbe essere stato usato come modello nel negozio o acquistato e poi restituito al venditore. Vedi linserzione del venditore per maggiori dettagli e la descrizione di eventuali imperfezioni. Unfortunately I do not have the time or the knowledge to test every individual item as I have a whole 27 sgft storage unit full of bits to go through. They are therefore untested and are sold as seen in the photographs. Please inspect the photos for an idea about the item cosmetic condition. My photographs are those of the actual item for sale and are taken immediately prior to the auction commencing. Everything included in the sale is photographed. Anything not photographed is not included. "Per le transazioni idonee, sei coperto dal programma Garanzia cliente eBay se ricevi un oggetto non conforme alla descrizione. Contatta il venditore si apre in una nuova finestra o scheda e chiedi il servizio di spedizione per il tuo indirizzo. Inserisci un CAP valido. Inserisci un numero inferiore o uguale a 1. Tutti i diritti riservati. Accordo per gli utenti, Privacy, Cookie e AdChoice Norton Secured Offerto da Verisign. The cordless phones i have make above have the caller ID facility had them about 6 month. Ive messed on basically and cant get the caller ID to show when the phone rings.

The manual is on website here any ideasor has anyone got one of these phones and can help. The cordless phones i have make above have the caller ID facility had them about 6 month. The manual is on website here any ideasor has anyone got one of these phones and can help. Unfortunately the Virgin website indicates that not all phones can cope with their caller ID. For Caller Display you will need a compatible Caller Display phone or Caller Display unit look for the British Standards Mark, ideally one that meets multistandard Caller ID. Old Caller Display phones and units in particular sets pre1999 may not be able to receive Caller Display from a cable line. The vast majority of current Caller Display phones or Caller Display unit are compatible on Virgin Media network. The cordless phones i have make above have the caller ID facility had them about 6 month. The manual is on website here any ideasor has anyone got one of these phones and can help. All Rights Reserved. Home Feedback Contact Add to favourites Item Description DORO Magna 4000, Seniors Phone DORO Magna 4000, Senior Citizen Whats in the box 1 x Base Unit, 1 x Horphone Unit, 1 x Horphone Cable, 1 x Telephone Cord, 1 x Wall Mount Bracket, 1 x User Manual Pressing the Boost function raises the listening volume to 60 dB and one setting Easy sound control ensures a good and clear sound quality according to individual needs. The corded phone not only has a loud ringtone, but also a visual flashing light to signal incoming calls. Thanks to large buttons, it is very easy to use. Other useful functions include direct dial keys,a highcontrast display,a telephone book,a handsfree system and much more. Weekends and bank holidays do not apply to any of the above time frames Please note that we are using the following shipping services FedEx Express, FedEx Economy and DHL Deutche Post Countries as Israel!!! Argentina!! Mexico! Russia! Maldives! Vietnam! Ukraine!

Kazakhstan, Philippines Estimated delivery time is 510 weeks due to the destination countries customs delays and not our or the couriers. If you do not agree with the above timeframes please do not purchase from our shop. Free Insurance Coverage with Every Parcel Please note that it is the recipients responsibility to open and inspect the package. Only if the item is undamaged you can sign and accept delivery. The insurance will not be valid if you sign for the delivery for a damaged box. A replacement or refund will not be offered if you claim that your package arrived damaged but you did sign and accept the delivery which resulted in voiding the insurance. Payment Paypal Payments are subject to below requirements Buyers should have either a confirmed PayPal account address or verified PayPal account We expect PayPal payments to be eligible for sellers protection. If a buyer asks to deliver the item to a different address which results in the cancelation of our sellers protection program, the order will be cancelled and a full refund will be issued without a warning.

Import Taxes Import Taxes Its always the buyers responsibility to clear customs and pay the relevant custom duties Customs are Government Agencies regulating international shipments. Before delivery each package needs to be cleared by the destination countrys customs Paying for an item does not mean you pay for your countrys import taxes, if they occur We are not responsible for any customs charges, taxes and duties that may apply If the buyer will return the item due to refusal of import tax payment, all shipping costs and applicable duties will be deducted from the refund. Customs clearance may differ for each country.

Please find out about the import taxes and duties in your own country before buying from us and only purchase if you accept the above terms Returns Returns If you have any problems with the purchased item, please contact us within 7 working days from receiving it If there are irremediable defects with the devices, you can return them back to us for repair or replacement within 30 days Returns for a refund are only possible within 30 days since the purchase All returns must be preauthorized. Please contact us with the reason for your return request All items must be returned unused, in their original undamaged packaging, with full box and its contents. The returned item must be the exact item that we sold. We will compare serial no. We will file a report against buyers who try to abuse the return system and ship back an item we never sent or a package that is missing content. Also, a legal notice will be sent out to the buyer All returns must be sent back to us within 14 days since the day you received the items. For non European transaction the return shipping company must be the same as the delivery company to avoid any import taxes in Germany.

If the item will be returned with a courier of your choice and this will result in import taxes in Germany, either the package will be refused or the import taxes will be deducted from your refund Restocking Fee For buyers who change their mind or want to cancel an order after we dispatched it but before receiving it, the shipping fees and import taxes, if any, will be deducted from the buyers refund Please note that if the return is due to change of mind or order by mistake, then all returned items are subject to a 20% restocking fee Guidance All customer returns must be accompanied by an online tracking number All customers are advised to safely keep the proof of payment for shipping back the returned items, along with the confirmation note or slip provided by the relevant courier service with the tracking number on it, until we confirm the successful receivement of the returned items Customers are responsible to cover the cost of returning the package if the return reason is change of mind or order by mistake We advise you to include a note with the ebay item number and your ebay user ID clearly written, along with the return package. Soon after our Returns Department has received your returned package, the necessary actions will be initiated to process your refund and this process could take up to 24 working days Your refund will be made using the same payment method you used to make the purchase. Some of our items might not come with English manual and this is our general condition when it comes to plugs or manuals, but you can contact us for more information on any item you might be interested in. Super high amount of views. 0 sold, 3 available. More Super high amount of views. 0 sold, 3 available. You are the light of the world. Page Count 24 Batter y W hen the bat teries are relatively n e w and f u l lycharg ed 1 0 hours they will last for appro x. 1 0 0 h ours' standby time or appro x. 1 0 h ours' call time.

These t imes apply at normal room temperature. Full battery These times apply at normal room temperature. Full battery These times apply at normal room temperature. Full battery Full battery Full battery Full battery capacity will not be reached until the batteries have been charged 45 times. It is not possible to overcharge It is not possible to overcharge It is not possible to overcharge or damage the batteries by charging them for "too long". It may take up to 5 minutes charging before display wakes up, if batteries are totally empty. Ple as enote! When the battery is low or when there is to ogreat a distance to the base unitthe telephone will be unable to connect to aline. Do not place the base unit close to other electrical equipment, in directs unlight or other strong heat sources. This is to minimize the risk of any interf

erence. It is no rmal for the device to become warm during charging and this is not dan ger ous. Use only original batteries. The guaranteedoes not cover any damage caused by using the wrong batteries. Steady light during calls and as hes when there is a nincoming callornew message on the answer machine. Range The telephone's range depends on whether or not the radio waves carrying the call are restricted by obstacles in their path, and is usually between 50 and 300 metres. Coverage can be improved by turning one's head so that the handset is aligned with the base unit. Delete if necessary with right menu button C. 2. Pressqtomakethering. Receiving a call 1. Waitforthe handset to ring. Waitforthe handset to ring. 2. Pressqtoms wer. Press L to end the call. Paging The hand set will ring when J on the base unit is pressed.

The signal will stop automatically after a while or if the L button on the hand set or the J button on the base u n it are pressed. Softkey s N ote the topt wo key s are "softkeys". The ir function is shown in the D isplay directly a bove them. If you subscribe to a caller ID serv ice, the name allocate d to the callerin the phonebook will be shown for incoming calls. It is possible to choose bet ween various ringers for the numbers saved in the Phonebook only fu nct ions if you subscribe to a caller I D ser vice. You can guick search the phonebook by pressi ng t he correspondi n gn u mberkey fortherstletter. 2. Press q t o ma ke a callor press for various op t ions. NE W C AL LS will be shown in standby mode and. This function requires a subscr ipt ion from you r ser v ice prov ider. Caller identication messages In ad d it ion to n u mbe r d isplay, t he fol low i ng messag es w i l l be shown occa siona l ly OU T OF ARE A U nk no wn numb er, e. g. int ernatio nal c a ll. WI TH HEL D Info rmatio n abo ut the n u m ber is bl ock ed. Num ber canno t be shown. When the alarm goes off, a signal will be hear d for 45 sec on ds. The signal can be turned off with any button. If SNOOZE is activated the alarm will gooff again approx. 7 min utes la ter. Tur n the alarm off permane ntly via the menu or by holding L down for a few s eco nds. The volume is de termined by the setringer level. RING SETUP The hand set's ri nger signal. Mel odies 2,3, 4.. can continue for upto8 seconds if the call is answered in another phon e. T ONE S ETU P Any of the following warning tones can be disbled, K eyton e, low b attery and range. LA NG UAG E The language of the dis playt exts. RE NA ME HS The text shown in stand by m ode. HS D ISP LA Y Sh ow nam e ort ime in stand by m ode.

A tone will be heard if a nexter n al call comes in while a ninter n al call is in progress. End t he inter n a l ca l l w ith L a nd the n ans wer t he exter na l ca l l w it h q. Register a new handset A ll ha ndset s inc luded i n t he pack ag e are a l rea dy reg iste red to the ba se un it. Y ou ca n reg iste r up to 6 h and sets to one base un it. This model is G AP Generic A cc ess Pro. However the G AP prot oco l can not gua ra ntee th at all fun ctions may be ac cesse d. Ext ra ha ndsets will n ot be ava ilable as acc esso r ies. 1. Hold down J baseu n itunt i li nd icatorashes. 2. Press. Scroll to R EG IST RATION. Press OK. 3. Enter the base unit's PIN code e.g. 0000. Press OK. 4. If the registrat ion is successful the unit will return to standby mode with in one minute. Most functions c a n be acces sed from both base un it and handse t. If the re are new messag es,t hei nd icatorw i l lashwhet hert hean swermac hi neisoffor on. E ven when ans we'r mach ine is OFF it will still answer after 1 0 ring s, please s ee R emote acti vation. Outgoing message T he outgoing message max 3 m i n is h e a rd by i ncom i n g calls. There a re t wo sepa rate outgoing messages, one for A nswer on ly c a l ler s can not leave a message a nd one for no r m a l ans wer i ng f u nct ion. Please al so selec t desi red an swer f u nct ion. P r e s s O K. 5. S croll to R EC OR D MES S. Press OK. 6. A fter t he l ong beep you can record your mess a ge speak i ng 20 cm from t he keypa d. Press OK. 7. The mess a ge will be played back to you. Repeat the above to change. A prere co rded messa ge is used u nti l y ou make yo ur own rec ord in g, a nd that mes sage ca n a lso be rest ored if req uire d.. To rest ore this, press Cright menu button during play back of outgoing messa ge. Screening Incomin g messages will be heard on the louds peaker of the base unit as t hey are rec eived.

Y o u can also press OK on the ha ndset whi le record i ng i s in progress. The call can be i ntercep ted by pressing gorlifting the receiver of a nother telephone connected to the samel i ne. W hen T AM F UL L is shownorthebaseu n itashes FF, no new messages ca n be recorded u nt i It he old ones have been played back and deleted. In that case, the telephone ans wer mach ine resp onds wit h t he outgoi n g messag e for A nswer On l y. PL E AS E N OTE! Remember to delete messages regular ly. T AM L ANG UAG E Sel ect language for p rer eco rde d ou tgoing m ess age. T o activa te this, pre ss C ri ght menu button d ur ing pla ybac k of o utgoing m ess a ge. RE CO RD TI ME Sele ct max imum re cor d ing t ime fo r each m sg. CH AN GE PI N Chang e r emo te acc ess c ode 0000. The Time Sa ver f uncti on answers cal ls after six ring s igna ls, until the rst new mes sage h as been r egistered then the ans wer m ach ine swi tches t o a nswerin g a f ter appro ximat ely two s ignals. This is usefu l when u sing remo te acc ess; if y ou call up t he answer mach ine and t here is no reply a f ter fo ur rings that means t he re a re no messa ges rec orded and y ou can ha ng up before you are charged for the call. Remote activation The answer mach ine can be act ivated v i a the remote access f u nct ions. 1. Call the answer mach i ne. If the problem is resolved, the fau lt is wit h some othe r equ ipment. T e st the equ ipme nt on a k nown work i ng l i ne e.g. at a nei ghbou r's house. If the equ ipment works t here t he fault is probably w ith you r telephone l i ne. Please report this to your net work operator. No number shown when ringing This function requ i res a Cal ler ID subs cription from your service pro vider. Move closer to a base unit.

The t elephone c ontinues to ring Some of the telephone's r in gersdonot follow the line signa l, which means that the sig na l may conti nue for up to 8 sec onds a fter ans weri ng a cal l. The a nswer machine does not respond to remote access Check that you are using a tone dial teleph one. Try holding the buttons down longer, approxi mately 1 second per digit. Don't forget the receipt or a copy of the invoice. Specic Abs or ption Rate SARTh is device meets applicable inter n at iona l safet y req u i rements for exp osu re to rad io waves. If you ex per ience any problems please contact the place of purchase. Proof of purchase is required for any service or support needed dur i ng t he guarantee per io d. This guarantee will not apply to a fault caused by an accide nt or a si m i l ar i ncide nt or d a ma ge, liq u id in g ress, negl i ge nce, abnorm a l usag e, nonma i nte na nce or any other ci rc u msta nces on t he user's p ar t. Fur t her more, th i s g ua ra ntee w ill not apply to any fault caused by a thunderstor moranyothervolta geuct uat ions. Asamatt erofprecaut ion, werecommendd i sconnec t i n g t he devi ce dur i ng a t hunde rstor m. Bat ter ies a re consu mables and a re not inclu ded i n any g ua ra ntee. Y ou can a lso contac t us in w rit i ng rega rd i n g any Spa res or T ech n ic a l quer y Customer Ser v ices Doro UK Ltd 1 Hi gh St reet Chal font St P ete r Buck i n gha msh i re SL9 9QE. Fur t her cont act det a i ls a re avail able on our website w w w.d oro u k.co m. These marks indicate the products comply with the regulations and can be legally connected in the country of purchase. The mean power of this te le ph one i s not gre ate r than 1 4 m W. T hi s is b elo w the 20m W limit at which te sting i s reg uired. REN RN for Ne w Zealand T he R EN Ringe r Equival e nce Numb er or RN is of signi.

A stan d ard tele phon e line has a ma ximum R EN capac it y of 3 RN of 5. It is poss ible to connect 3 de vi ces with a REN of 1 RN of 1 with no degrad ation to the product's per for mance. Excee ding this limit may cause the volume of the ringer in any phone to decrease or not ring at all. ALL PR O DUCTS The grant of a Teleper mit for any item of terminal equipment indicates only that Telecom has accepted that the item complies with the minimum conditions for connection to its network. It indicates no endors ement of the product by Telecom, nor does it provide any sort of warranty. Above all, it provides no as surance that any item will work correctly in all respects with an other item of Telepermitted equipment of a different make or model, nor does it imply that any product is compatible with all of Telecom 's network services. This equipment shall not be set to make automatic calls to the Telecom '111' Emergency Service. This equipment may not provide for the effective hand over of a call to another device connected to the same line. This equipment should not be used under any circum st

ance s that may constitute a nuis ance to other T elecom Cu stomers. CND PRO DUCTS If a charge for local calls is unacceptable, the "DIAL" button should NOT be used for local calls. Only the 7 digits of the local number should be dialled from your telephone. DO NO T dial the area code digit or the "0" prex. Ne placez pas labase a proximited appareils electriques, dune so urcede chaleur ou dans un endroit exposed irectement au soleil and minimiser les risques d'interferences. Vous pour rezobserver un rechauffement de l'appareil pendant la charge; ce phenomene est normal. Util isez uniquement des batteries d'origine.

http://eco-region31.ru/daikin-r410a-split-series-service-manual